

	0.5		 		~ 11		
	25		 south	n	/ West	2 D M	
Section	<i>-)</i>	Township	 	Range_	,	2nd P.M.	
00001011			 				




Date	Section
Cor]
Location	25
Description of Monument R	Township
ption f Reference	3 south
Distance from Corner	Range
Bearing from Corner (North Assumed)	7
Cond	West
Check By	2nd Princi
Remarks	2nd Principle Meridian



Date		Section
Cor		
Location		26
Monument	Description of	Township
Reference	ption f	3 South
	Distance from	Range
Corner (North Assumed)	Bearing from	7 West
Cond		67
Check By	<u>?</u> -	2nd Princ
Remarks]	2nd Principle Meridian


	2.0		2 South	7	West	1 1	
Section	23	Township	3 South	Range '	WCJL	2nd P.M.	
3600001		TOWNSHIP _		90			



RECORD OF SECTION CORNERS

Date		Section	
Cor)
Location		\ \C	,
Monument	Description	Township	ı.s
Reference	ption		0 = + +
Corner	Distance	Range	Warrick County
Corner (North Assumed)	Bearing from	- 1	1 ty 7 Wes
Cond			us rt
Check By		2nd Princi	
Remarks		ple Meridian	


Section	Township South	Range	2nd P.M
---------	----------------	-------	---------



NOTES


, London

Date		Section
Č	?	
Location		30
Monument	Description of	Township_
Reference	ption f	3 South
Corner	Distance from	Range
(North Assumed)	Bearing	7 Wes
Cona		SS C
By	Ĉ.	2nd Princ
nemarks		2nd Principle Meridian




RECORD OF SECTION CORNERS


Date	9	Section	
Ç	?		
Location			<i>~</i> 3
Monument	Description of	l ownship	
Reference	iption if	1	Wa 3 South
COL	Distance from	Kange	Warrick County
(North Assumed)	Bearing from		7
Ç	Cond		Zest
Ву	Check	2nd Frinci) } }
	Remarks	zna Frincipie Werlalan	אל. אלייניים בייניים ב



	1
	Date
	Cor
	Location
	Description of F
	ption if Reference
	Distance from Corner
	Bearing from Corner (North Assumed)
	Cond
	Check By
	Check Remarks By
\	'




Date	
Cor	1
Location	J
Description of Monument	
f Reference	0000
Distance from Corner	
Bearing from Corner (North Assumed)	
Cond	
Check By	
Remarks	



Date	
Cor	
Location	
Description of Monument	
ption f Reference	
Distance from Corner	
Bearing from Corner (North Assumed)	
Cond	
Check By	
Check Remarks By	
,	

o	35	Township	3	South	Danas	7	West	2nd P.M.
Section		i ownsnip .			Range			ZIIU F.IVI.



NOTES


Gilbert +Lorene Baker establish south line Pt. S½ SW¼

PB 3 PG 161

RECORD OF SECTION CORNERS


Warrick County

								, Ca		Section
 I	G	П	m	D	C	Φ	Þ	Ç	3	
			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	# (Mo		
					we to the second			Monument	Desci	
			; ;					Reference	Description of	Township
	1		,			:				
			;						Distance from Corner	
								(North Assumed)	Azimuth from Corner	Range .
						,			Cond	
								Ву	Check	2nd F
						,			Remarks	Principle Meridian
			.6			,				1



/5/54	Date
Z Z	Сог
0 7. 8	Location
l/2-Sw1/4 Iron pin	Descr o Monument
	Description of Reference
	Distance from Corner
	Bearing from Corner (North Assumed)
	Cond
	Check By
George Reynolds	Remarks

						:	
	2 (2 (_	7 11-04	0 . 0	
Section	50	Township	3 South	Range	/ West	2nd P.M.	
Section		1 Ownianip		'''u'''9''		Z-11C1 7 ,1V1,	



RECORD OF SECTION CORNERS

≋
7
햣
ဂ
0
ੜ

		დ. დ		3 South	Warrick County	7	Vest	- - - - - -	
Section			Township	1	Kange			zna Frincij	2nd Frincipie Meridian
7	,	- > * :	Description of	ption f	Distance from Corner	Bearing from Corner	Cond	Check	Remarks
Date	Ç	Locacion	Monument	Reference	; ;	(North Assumed)	,	Ву	
·									