


NOTES


CORNER CODE SYSTEM
Warrick County

Township 4 South


6 West


_ 2nd P.M.






CORNER CODE SYSTEM Warrick County





__ 2nd P.M.




ÇO

_ Township _


4 South


6 West


_ 2nd P.M.



CORNER CODE SYSTEM Warrick County









NOTES

_ 2nd P.M.



O

ଦ




__ Township __

4 South

6 West

_ 2nd P.M. _



_ Township _


4 South


6 West

_ 2nd P.M.





CORNER CODE SYSTEM Warrick County






CORNER CODE SYSTEM Warrick County






DATE REFERENCED BY: Somy Buck 8-2-84	מרית כיית סיי
	ESTABLISHED BY:
	Y
	×
PCH PUP	INDIANA ZONE: WEST
	STATE PLANE COORDINATE DATA
DESCRIBE CORNER REFERENCED R R R R R R R R R R R R R R R R R R	INDICATE CORNER REFERENCED
MICHAEL F. FELDBUSCH, L.S.	2 nd PRINICPAL MERIDIAN
W E	Suf Nut
CORNER RECORD	DESCRIPTION:


J








CORNER CODE SYSTEM Warrick County






RECORD OF SECTION CORNERS


Warrick County

Section		20	Township_	4 South	Range	e	6 West	_ 2nd Prin	ciple Meridian
Date	Cor	Location	C	iption of Reference	Distance from Corner	Bearing from Corner	Cond	Check	Remarks
			Monument	Reference		(North Assumed)		Ву	
5/20/ 5	b	SEcor	Ww-Ne Iron pin						George Reynolds
				,					,
		:	3						
,									
		:							
į.									
							-		
						,			
:									
									,
						,	•		
	1								
1									
									,




___ 2nd P.M.





O



➤

0


)G Stone

Stone

Ξ

Stone 1937


314.23



Township _

6 West 2nd P.M.


by post with surveyor ひかののか Re Bar Fid-Don Howerton 12-8-86 DATE Carter Two 4706 - So, face of force Post Not verified SPENCER COUNTY SURVEYOR J. R. BROWN, P. E. Re-Bar Flanked CORNER REFERENCED RELEAT :: B TOBEL REFERENCED Center 5" DBH Shingle Oak Center 4" DBA CORNER RECORD SPENCER COUNTY Sassafras 1543 DESCRIBE DATE INDICATE CORNER REFERENCED STATE PLANE COORDINATE DATA 52 78 2 nd PRINICPAL MERIDIAN ZONE: WEST 10 x 0 x SECTION 36,T. :. Ø CORNER **3**6.50 DESCRIPTION: To To To To APPROVED BY ESTABLISHED INDIANA ×



6 West


2nd P.M.








CORNER CODE SYSTEM Warrick County




28 Township 4 South Range 6 West

CORNER CODE SYSTEM Warrick County





OTE












STATE PLANE COORDINATE APPROVED INDIANA ESTABLISHED 2 nd PRINICPAL MERIDIAN SECTION 31,T. DESCRIPTION: INDICATE _ CORNER ZONE: WEST 8 CORNER REFERENCED ΒΥ: S DATA DESCRIBE WARRICK DATE CORNER CORNER REFERENCED COUNTY RECORD REFERENCED WARRICK COUNTY SURVEYOR MICHAEL F. FELDBUSCH, L.S. 16' 16.22 Vietal Cot NOT VERIFIED Act. DATE

2-35-84




CORNER CODE SYSTEM Warrick County




APPROVED BY		INDICATE CORNER REFERENCED	DESCRIPTION: ALE CORNER SWA SWA SECTION 33, T. 4 S. R
DATE		DESCRIBE CORNER	CORNER WARRICK
REFERENCED	St. St.	R REFERENCED	RECORD COUNTY WARRICK MICHAEL
BY: Dek	GRNEC E. 35	25	VARRICK COUNTY SURVEYOR MICHAEL F. FELDBUSCH, L.S.
	17.79 Reputer Part Cooner and Part Co	NOT VERIFIED	W-URVEYOR
DATE 5-23-84	TO THE	3	S = Z

DATE 5-23-84	DATE REFERENCED BY:	APPROVED BY
	GRAVE	ESTABLISHED BY:
		×
ac" walnut	St. 25 St.	STATE PLANE COORDINATE DATA INDIANA ZONE: WEST
36.48	G)	
	LE" CHERRY 65	
NOT VERIFIED	DESCRIBE CORNER REFERENCED	INDICATE CORNER REFERENCED DE
WARRICK COUNTY SURVEYOR MICHAEL F. FELDBUSCH, L.S.	W.	MERID
	CORNER RECORD WARRICK COUNTY	DESCRIPTION:



NOTES


Township ______ South ____ Range ___ 6 West _____ 2nd P.M.



6 West

_ 2nd P.M.





PKNAL 8.6 **D** GO, CORN STONE 123.5 NW CORNER LOCATIONS OF LOCATION STONE & TREE 1 ES G I ш NOTES

CORNER CODE SYSTEM Warrick County

Township 4 SOUTH Range 6 WEST 2nd P.M.

Section .

